

RICK D. NYDEGGER
BRENT P. LORIMER
THOMAS R. VUKSINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
JOHN M. GUYNN
CHARLES L. ROBERTS
DANA L. TANGREN
ERIC L. MASCHOFF
CHARLES J. VEVERKA
ROBYN L. PHILLIPS
RICHARD C. GILMORE *
STERLING A. BRENNAN
R. BURNS ISRAELSEN
DAVID R. TODD
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADRIAN J. LEE
FRASER D. ROY
CARL T. REED
R. PARRISH FREEMAN, JR.
PETER F. MALEN, JR.
L. REX SEARS, PH.D.



ROBERT E. AYCOCK
JENS C. JENKINS
MICHAEL B. DODD
BRETT I. JOHNSON
SARA D. JONES
TIGE KELLER
JANNA J. LEWIS
J. LAVAR OLDHAM
MICHAEL J. FRODSHAM
WESLEY C. ROSANDER
RYAN N. FARR
WILLIAM R. RICHTER
KEVIN W. STINGER
MATTHEW D. TODD
MATTHEW A. BARLOW
ANDREW S. HANSEN
CHAD E. NYDEGGER
JOSEPH G. PIA
CLINTON E. DUKE
JAMES B. BELSHE
KIRK R. HARRIS
MICHAEL M. BALLARD
DAVID A. JONES
SHANE K. JENSEN
JONATHAN M. BENNS, PH.D.
SCOTT A. WOODBURY
JOHN T. GADD
MARK W. FORD
COLBY C. NUTTALL
AARON M. SMITH
KULANIAKEA FISHER
THOMAS M. BONACCI
PAUL G. JOHNSON
GREGORY R. LUNT
AMBER B. LEAVITT
JEFFERY M. LILLYWHITE
HEATHER MANWARING
JOHN C. BACOCK
PAUL N. TAYLOR
RONALD J. WARD

VERNON R. RICE \$
OF COUNSEL

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS



CFC
1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707
WEBSITE: HTTP://WWW.WNLAW.COM

PATENT
Docket No. 14458.67

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Isaacson et al.

Serial No.: 10/719,333

Filed: Nov. 21, 2003

For: TUNED RETURN ELECTRODE WITH
MATCHING INDUCTOR

Examiner: Roy D. Gibson

Patent No.: 10/719,333

Issue Date: Jan. 30, 2007

Art Unit
3739

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Certificate
NOV 21 2007
of Correction

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.

11/19/2007 MBLAHC 00000012 7169145

01 FC:1811

100.00 0P

NOV 27 2007

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 6 day of November, 2007.

Respectfully submitted,




Fraser D. Roy
Attorney for Patentee
Registration No. 45,666
Customer No. 022913

FDR:jsb
Docket No. 14458.67
PR0000002586V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 16 day of November, 2007.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 155075 for \$100.00

NOV 27 2007

RICK D. NYDEGGER
BRENT P. LORIMER
THOMAS R. VUKSINICK
LARRY R. LAYCOCK
JONATHAN W. RICHARDS
DAVID R. WRIGHT
JOHN C. STRINGHAM
JOHN M. GUYNN
CHARLES L. ROBERTS
DANA L. TANGREN
ERIC L. MASCHOFF
CHARLES J. VEVERKA
ROBYN L. PHILLIPS
RICHARD C. GILMORE *
STERLING A. BRENNAN
R. BURNS ISRAELSEN
DAVID R. TODD
DAVID B. DELLENBACH
L. DAVID GRIFFIN
ADRIAN J. LEE
FRASER D. ROY
CARL T. REED
R. PARRISH FREEMAN, JR.
PETER F. MALEN, JR.
L. REX SEARS, PH.D.

WORKMAN | NYDEGGER

INTELLECTUAL PROPERTY ATTORNEYS



1000 EAGLE GATE TOWER
60 EAST SOUTH TEMPLE
SALT LAKE CITY, UTAH 84111
TELEPHONE: (801) 533-9800
FAX: (801) 328-1707

WEBSITE: HTTP://WWW.WNLAW.COM

PATENT

Docket No. 14458.67

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Isaacson et al.

Serial No.: 10/719,333

Filed: Nov. 21, 2003

For: TUNED RETURN ELECTRODE WITH
MATCHING INDUCTOR

Examiner: Roy D. Gibson

Patent No.: 10/719,333

Issue Date: Jan. 30, 2007

Art Unit
3739

REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323

Attn: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 C.F.R. § 1.323 which implement 35 U.S.C. § 255, the Commissioner is respectfully requested to issue a Certificate of Correction to correct mistakes in the above-identified patent. The enclosed Patent Office Form 1050 reflects the desired corrections. Also enclosed please find a check in the amount of \$100.00 to cover the costs for issuance of this certificate.



ROBERT E. AYCOCK
JENS C. JENKINS
MICHAEL B. DODD
BRETT I. JOHNSON
SARA D. JONES
TIGE KELLER
JANNA J. LEWIS
J. LAVAR OLDHAM
MICHAEL J. FRODSHAM
WESLEY C. ROSANDER
RYAN N. FARR
WILLIAM R. RICHTER
KEVIN W. STINGER
MATTHEW D. TODD
MATTHEW A. BARLOW
ANDREW S. HANSEN
CHAD E. NYDEGGER
JOSEPH G. PIA
CLINTON E. DUKE
JAMES B. BELSHE
KIRK R. HARRIS
MICHAEL M. BALLARD
DAVID A. JONES
SHANE K. JENSEN
JONATHAN M. BENNS, PH.D.
SCOTT A. WOODBURY
JOHN T. GADD
MARK W. FORD
COLBY C. NUTTALL
AARON M. SMITH
KULANIAKEA FISHER
THOMAS M. BONACCI
PAUL G. JOHNSON
GREGORY R. LUNT
AMBER B. LEAVITT
JEFFERY M. LILLYWHITE
HEATHER MANWARING
JOHN C. BACCOCH
PAUL N. TAYLOR
RONALD J. WARD

VERNON R. RICE §
OF COUNSEL


* Admitted only in California
§ Admitted only in Virginia

NOV 27 2007

The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment to Deposit Account No. 23-3178. Duplicate copies of this letter are enclosed.

Dated this 6 day of November, 2007.

Respectfully submitted,




Fraser D. Roy
Attorney for Patentee
Registration No. 45,666
Customer No. 022913

FDR:jsb
Docket No. 14458.67
PR0000002586V001

CERTIFICATE OF DEPOSIT UNDER 37 C.F.R. § 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postage prepaid, in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on this 16 day of November, 2007.



Transmitted: REQUEST FOR A CERTIFICATE OF CORRECTION UNDER 37 C.F.R. § 1.323,
PTO Form 1050 and Check No. 155075 for \$100.00

NOV 21 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,169,145 B2

Page 1 of 3

APPLICATION NO. : 10/719,333

ISSUE DATE : Jan. 30, 2007

INVENTOR(S) : Isaacson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Sheet 12, replace FIG 11A with the figure depicted herein below, wherein "422d" has been changed to -426d- and "72" has been changed to -422-




FIG. 11A

MAILING ADDRESS OF SENDER (Please do not use customer number)

Fraser D. Roy, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,169,145 B2

Page 2 of 3

APPLICATION NO. : 10/719,333

ISSUE DATE : Jan. 30, 2007

INVENTOR(S) : Isaacson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 67, after "burns", insert --,

Column 7

Line 18, after "including", insert --,

Column 11

Line 53, after "Thus", insert --,

Column 12

Line 57, change "-j" to --j--

Column 16

Line 17, after "K", insert --,

Line 19, after "capacitor", insert --,

Column 17

Line 27, change "exits" to --exists--

Column 18

Line 17, after "Notably", insert --,

Column 19

Line 34, change "45" to --40 and 41--

Line 37, change "45" to --41--

Column 21

Line 8, change "82" to --84--

Line 11, change "calculated" to --monitored--

Line 51, change "110" to --100--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Fraser D. Roy, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

NOV 27 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,169,145 B2

Page 3 of 3

APPLICATION NO. : 10/719,333

ISSUE DATE : Jan. 30, 2007

INVENTOR(S) : Isaacson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23

Line 11, change "such as but not limited to" to --such as, but not limited to,--
Line 15, change "such as but" to --such as, but--

Column 26

Line 15, after "applied to", change "tactile layer 586" to --membrane layer 584--
Line 16, after "so that", change "tactile layer 586" to --membrane layer 584--
Line 23, change "FIG. 2" to --FIG. 8--

Column 27

Line 8, after "claim 1", insert --,--

Column 29

Line 26, change "an electrosurgical generator" to --cabling--

Column 30

Lines 47-64, replace claims 46 and 47 with the following claims:

- 46. The return electrode of claim 44, wherein the electrically conductive member includes a plurality of membrane switches.
- 47. The return electrode of claim 44, further comprising monitoring circuitry to identify a capacitive reactance portion of the effective impedance--

Line 63, change "46" to --44--

Line 64, change "46" to --44--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Fraser D. Roy, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

NOV 27 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,169,145 B2

Page 1 of 3

APPLICATION NO. : 10/719,333


ISSUE DATE : Jan. 30, 2007

INVENTOR(S) : Isaacson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawings

Sheet 12, replace FIG 11A with the figure depicted herein below, wherein "422d" has been changed to --426d-- and "72" has been changed to --422--



MAILING ADDRESS OF SENDER (Please do not use customer number)

Fraser D. Roy, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

NOV 27 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,169,145 B2

Page 2 of 3

APPLICATION NO. : 10/719,333

ISSUE DATE : Jan. 30, 2007

INVENTOR(S) : Isaacson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 67, after "burns", insert --,--

Column 7

Line 18, after "including", insert --,--

Column 11

Line 53, after "Thus", insert --,--

Column 12

Line 57, change "-j" to --j--

Column 16

Line 17, after "K", insert --,--

Line 19, after "capacitor", insert --,--

Column 17

Line 27, change "exits" to --exists--

Column 18

Line 17, after "Notably", insert --,--

Column 19

Line 34, change "45" to --40 and 41--

Line 37, change "45" to --41--

Column 21

Line 8, change "82" to --84--

Line 11, change "calculated" to --monitored--

Line 51, change "110" to --100--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Fraser D. Roy, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

NOV 27 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 7,169,145 B2

Page 3 of 3

APPLICATION NO. : 10/719,333

ISSUE DATE : Jan. 30, 2007

INVENTOR(S) : Isaacson et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 23

Line 11, change "such as but not limited to" to --such as, but not limited to,--

Line 15, change "such as but" to --such as, but--

Column 26

Line 15, after "applied to", change "tactile layer 586" to --membrane layer 584--

Line 16, after "so that", change "tactile layer 586" to --membrane layer 584--

Line 23, change "FIG. 2" to --FIG. 8--

Column 27

Line 8, after "claim 1", insert --,--

Column 29

Line 26, change "an electrosurgical generator" to --cabling--

Column 30

Lines 47-64, replace claims 46 and 47 with the following claims:

-- 46. The return electrode of claim 44, wherein the electrically conductive member includes a plurality of membrane switches.

47. The return electrode of claim 44, further comprising monitoring circuitry to identify a capacitive reactance portion of the effective impedance--

Line 63, change "46" to --44--

Line 64, change "46" to --44--

MAILING ADDRESS OF SENDER (Please do not use customer number)

Fraser D. Roy, Esq., WORKMAN NYDEGGER
1000 Eagle Gate Tower
60 East South Temple
Salt Lake City, Utah 84111

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing the burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.